


Shower trays TESO

Acrylic shower tray



UV
Resistant



Slip
Resistant



Stain
Resistant



Easy to Clean
and Maintain



International
Fire-spread
Compliant



Product
service

Models:

Shower tray TESO square

Shower tray TESO rectangular

Shower tray TESO semi-circular

Shower tray TESO semi-circular asymmetrical L/D

Technical information

Material	Model	Dimension [cm]	Weight [kg]	Dimension [cm]	Weight [kg]
100 % sanitary cast acrylic	square	80x80	9 kg	100x100	15 kg
		90x90	11 kg	120x120	16 kg
	rectangular	90x70	12 kg	120x80	18 kg
		100x70	13 kg	130x80	19 kg
		120x70	14 kg	140x80	21 kg
		140x70	21 kg	160x80	24 kg
		160x70	21 kg	170x80	26 kg
		170x70	22 kg	180x80	30 kg
		90x75	12 kg	100x90	16 kg
		120x75	22 kg	110x90	17 kg
		160x75	22 kg	120x90	16 kg
		170x75	16 kg	130x90	23 kg
		90x80	11 kg	140x90	24 kg
		100x80	13 kg	160x90	28 kg
		110x80	11 kg		
	semi-circular	80x80	12 kg	100x100	15 kg
		90x90	12 kg		
	semi-circular asymmet. R55 L/R	90x70	12 kg	120x80	14 kg
		90x80	12 kg	100x90	14,5 kg
		100x80	13 kg		
Remark:	- drainage hole Ø90 - depth 2,5 cm - shower trays are delivered without siphon				

Declared properties


Tested properties	Requirement according to the European Standard	Confirmed level
- durability and cleanability	EN 14527:2016 +A1:2018 – 5.2 / 5.3	Pass Class 1
- drainage of water	EN 14527:2016 +A1:2018 – 5.2.2	
- stability of bottom	EN 14527:2016 +A1:2018 – 5.3.2	
- resistance to chemical and staining agents	EN 14527:2016 +A1:2018 – 5.3.3	
- resistance to temperature changes	EN 14527:2016 +A1:2018 – 5.3.4	

Analysis of possible risks according to EU Regulation 2023/988

Material	Recognized risk	Risk elimination or reducing process	Tests conducted	Relevant EU norm
100 % sanitary cast acrylic	Fulfilling the requirements of the Norm	Testing the product according to the requirements of the relevant standards.	TÜV SÜD Test report No. 713299992-3 from 05.10.2023. Aquaestil Plus Laboratory test report No. TTK-230111 from 11.01.2023.	DIN EN 14527:2019 HRN EN 14527:2016 +A1:2018
	Hygiene and health risk	According to its composition, the product is intended for household use, but not for water consumption	TDS from supplier	EN 263:2008
	Slipperiness of the acrylic surface	When getting in and out of the bathtub, hold on to a solid object or a handrail near the bathtub. Finishing the roughness of the acrylic surface by grinding or anti-slip coating.	Institute IGH d.o.o. 72530-OI-614-24 from 06.06.2024. Slip resistance of the floor covering	HRN EN 16165:2021, addition C (DIN 51097:1992)
	Flammability	Do not leave smoldering or hot objects on the acrylic surface. It is not spontaneously flammable, but it is a flammable material and has no self-extinguishing properties.	TDS from supplier class 3 / class 4	DIN 4102 BS 476 Pt. 7


Technical drawing according to the model:

TESO SQUARE







MODEL	A [mm]
80 x 80	800
90 x 90	900
100 x 100	1000
120 x 120	1200

TESO RECTANGULAR




MODEL	A [mm]	B [mm]	H [mm]
90 x 70	900	700	35
90 x 80	900	800	35
100 x 70	1000	700	35
100 x 80	1000	800	35
100 x 90	1000	900	35
110 x 80	1100	800	35
110 x 90	1100	900	35
120 x 70	1200	700	35
120 x 75	1200	750	35
120 x 80	1200	800	35
120 x 90	1200	900	35
130 x 80	1300	800	35
130 x 90	1300	900	35
140 x 70	1400	700	35
140 x 80	1400	800	35
140 x 90	1400	900	35
160 x 70	1600	700	35
160 x 80	1600	800	35
160 x 90	1600	900	35
170 x 75	1700	750	35
180 x 80	1800	800	35

TESO SEMI-CIRCULAR



MODEL	A [mm]	C [mm]	M [mm]
80 x 80	800	525	250
90 x 90	900	625	350
100 x 100	1000	725	450
120 x 120	1200	825	550

TESO SEMI-CIRCULAR ASYMMETRICAL



MODEL	A [mm]	B [mm]	M [mm]	N [mm]
90 x 70	900	700	350	160
90 x 80	900	800	350	250
100 x 80	1000	800	450	250
100 x 90	1000	900	450	350
120 x 80	1200	800	650	250